	Annti-stion No	A = 1i = = A(=)	$\overline{}$
	Application No.	Applicant(s)	(m)
Notice of Allowability	10/698,773	CULL ET AL.	<u>(1)</u>
	Examiner	Art Unit	
	Jason M. Han	2875	
The MAILING DATE of this communication app. All claims being allowable, PROSECUTION ON THE MERITS I herewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	S (OR REMAINS) CLOSED i 5) or other appropriate comm RIGHTS. This application is	n this application. If not included unication will be mailed in due c	d ourse. THIS
1. This communication is responsive to <u>3 June 2005</u> .			
2. The allowed claim(s) is/are <u>1-20</u> .		•	·
3. \boxtimes The drawings filed on <u>15 March 2004</u> are accepted by th	e Examiner.		
 4. Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: 1. Certified copies of the priority documents hat 2. Certified copies of the priority documents hat 3. Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	ve been received. ve been received in Applicati	on No	on from the
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requ	uirements
5. A SUBSTITUTE OATH OR DECLARATION must be sub INFORMAL PATENT APPLICATION (PTO-152) which g			OTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") m (a) ☐ including changes required by the Notice of Draftspe 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examine Paper No./Mail Date 	erson's Patent Drawing Revie	, ,	·
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in			back) of
7. DEPOSIT OF and/or INFORMATION about the department attached Examiner's comment regarding REQUIREMEN	oosit of BIOLOGICAL MAT	ERIAL must be submitted. N	ote the
Attachment(s)	E □ Nation -61-	sformal Datant Application (DTC)	150\
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 		oformal Patent Application (PTO	- 152)
· · · · · · · · · · · · · · · · · · ·	Paper No.	ummary (PTO-413), /Mail Date <u>20050712</u> .	
 Information Disclosure Statements (PTO-1449 or PTO/SE Paper No./Mail Date 	3/08), /. ⊠ Examiner's	Amendment/Comment	•
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's	Statement of Reasons for Allov	vance
of Biological Material	9. 🔲 Other	 ·	

Application/Control Number: 10/698,773 Page 2

Art Unit: 2875

DETAILED ACTION

Response to Arguments

Applicant's arguments, see Pages 14, filed June 3, 2005, with respect to Claims
 1-20 have been fully considered and are persuasive. The rejection of claims has been withdrawn.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with S. Jared Pitts on July 12, 2005.

The application has been amended as follows:

In line 2 of Claim 1, following "a first", insert -- aperture --

In line 4 of Claim 1, following "a second", insert -- aperture -

In line 1 of Claim 9, following "aperture", insert -- is --

In line 3 of Claim 12, following "second", delete "reflective"

In line 3 of Claim 12, following "second", insert -- phosphor --

In line 3 of Claim 16, following "wherein", insert -- the --

In line 4 of Claim 16, following "interior", delete "surfaced"

In line 4 of Claim 16, following "interior", insert -- surface --

In line 8 of Claim 16, following "aperture", delete "comprise"

Art Unit: 2875

In line 8 of Claim 16, following "aperture", insert -- comprises -- In line 8 of Claim 16, following "interior", delete "surfaced"

In line 8 of Claim 16, following "interior", insert -- surface -- In line 9 of Claim 17, following "channel, the", delete "first"

Allowable Subject Matter

- 3. Claims 1-20 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

With regard to Independent Claims 1, 11, and 17, the applicant has sufficiently claimed an aperture lamp system, wherein light from a second lamp passes through a coupling aperture into a first lamp, which has an exit aperture. The prior art fails to teach or suggest the combination of structural elements disclosed and claimed herein, specifically, in combination, two aperture lamps that are connected/attached to one another and cooperate with one another to emit light in a specific direction. All subsequent dependent claims are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason M. Han whose telephone number is (571) 272-2207. The examiner can normally be reached on 8:00am-5:00pm.

Art Unit: 2875

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on (571) 272-2378. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JMH (7/13/2005)

Stephen Husar Primary Examiner